



JTHS-1070 High Speed Machine

Product descriptions and features

■ Features

- Stable high-speed milling performance
- Suitable for mold and hard material machining, good performance
- Favorable man-machine interface, easy operation

■ For Material

Carbon steel, alloy steel, high temperature alloy, aluminum alloy, copper

■ Applied Range

Demanding metal machining like mold, parts, etc



KEJIE website



KEJIE wechat

Parameters


Item	Parameter
Working area X/Y/Z	1000/700/500mm
Work table size	1100×700 mm
Max load of table	800kg
Spindle power Max spindle speed	13.0kw/19000rpm or 18.5kw/20000rpm or 20.0kw/20000rpm
Rapid traverse rate	30m/min
Cutting feed rate	20m/min
Positioning accuracy	0.008mm
Repeatability	0.004mm
Weight	9000kg
Machine dimension	3300×2700×3200mm
Power supply	3-PH AC380V ±5% 50Hz

Standard Accessories


- High speed CNC controller
- High speed spindle
- AC servo motor
- Precision ball screw and guide rail
- Tool setting senso
- Hand Wheel
- Spindle cooling system

Optional Accessories

- 4th axis
- Voltage stabilizer
- Oil mist collector
- Automatic chip remover
- Automatic tool changer
- Probe



Front



Left